AMENDMENTS

IN THE CLAIMS

1. (currently amended) A method for processing network management data

received by a network management system during the monitoring of a network, the method

comprising: receiving network management data, and determining if the network management

data indicates the resolution of a previous event generated by the network management system in

response to previously received network management data and changing a severity indicator of

said previous event dependent on said determining step.

2. (original) A method as claimed in claim 1, wherein, if the network

management data indicates the resolution of a previous event, the method further comprises

marking the previous event as resolved.

3. (original) A method as claimed in claim 1, wherein the network management

data is processed in response to the network management system receiving network management

data from the network.

4. (original) A method as claimed in claim 1, the network management data

comprising values of a monitored characteristic of a part of the network for which an event is

generated if the monitored value exceeds a predetermined threshold, wherein an event list

includes an unresolved previous event for the monitored characteristic, wherein the step of

receiving network management data comprises receiving a value for the monitored characteristic,

and the step of determining comprises considering whether the monitored value has been below

MULBERT & BERGHOFF LLP 300 SOUTH WACKER DRIVE, 32ND FLOOR CHICAGO, IL 60606 (312)913-0001

the predetermined threshold for a preceding time period, and if so determining that the received

value indicates the resolution of the unresolved previous event.

5. (original) A method as claimed in claim 4, wherein the step of considering

comprises, in response to receiving the network management data, comparing a first received

value for the monitored characteristic with the predefined threshold, and if the value is below the

predefined threshold, starting a timer, the timer expiring at the end a predefined time period.

6. (original) A method as claimed in claim 5, wherein the step of considering

further comprises comparing each subsequent received value for the monitored characteristic

with the predefined threshold, and if any value exceeds the threshold canceling the timer.

7. (original) A method as claimed in claim 5, wherein, when the timer expires,

determining that the monitored value has been below the predetermined threshold for the

preceding time period.

5

8. (currently amended) A method for processing data representing a monitored

characteristic of a part of the network in a network management system, the method comprising:

periodically receiving a value for the monitored characteristic; if a received value exceeds a

predetermined threshold for the monitored characteristic generating an event; and thereafter,

periodically considering whether the monitored value has been below the predetermined

threshold for a preceding time period, and if so determining that the event is resolved and

changing a severity indicator of said event.

3

9 (original) A method as claimed in claim 8, wherein the preceding time period

is an immediately preceding predetermined time period, and the step of periodically considering

comprises considering whether the monitored value has been below the predetermined threshold

for the immediately preceding time period in response to each subsequently received value.

10. (original) A method as claimed in claim 8, wherein if the step of considering

determines that the event is resolved, the method further comprises marking the event as

resolved.

5

5

11. (original) A method as claimed in claim 1, the network management data

relating to an asynchronous Trap being received by the network management system, wherein

the step of determining comprises considering if the Trap indicates the possible resolution of an

event in an event log.

12. (original) A method as claimed in claim 11, wherein if the Trap indicates the

possible resolution of an event in an event log, the step of determining further comprises

considering whether the event log includes a previously received event that is resolved by the

Trap.

13. (currently amended) A method for processing data received in an asynchronous

Trap by a network management system, the method comprising: receiving a Trap from the

network; considering if the Trap indicates the possible resolution of a event in an event log, and

4

McDONNELL BOEHNEN

if so <u>further</u> considering whether the event log includes a previously received event that is

resolved by the Trap if the Trap indicates the possible resolution of a further event in the event

log.

14. (original) A method as claimed in claim 1, wherein the method processes

network management data previously received by the network management system and stored in

memory.

15. (original) A method as claimed in claim 14, wherein the step of receiving

network management data comprises receiving event data relating to an event stored in memory,

in response to a scan of previously generated events stored and included in an event log.

16. (original) A method as claimed in claim 15, wherein the event data relates to

a recurring event and includes the time of the last occurrence of the event.

17. (original) A method as claimed in claim 16, wherein the step of determining

comprises comparing the present time with the time of the last occurrence of the event, and, if

the time difference is greater than a predetermined time interval, determining that the event is

resolved.

5

18. (original) A method as claimed in claim 17, wherein if the step of

determining determines that the event is resolved, the method further comprises marking the

recurring event as resolved.

19. (currently amended) A method for processing event data generated by a network

management system during the monitoring of a network, the method processing event data

relating to events previously generated by the network management system a plurality of times

and which may be entered in the event log as a recurring event, the method comprising

identifying an a recurring event to be processed from the event list; and considering whether the

condition which caused the event to be generated has occurred in a preceding time period.

20. (original) A method as claimed in claim 19, wherein, if the step of

considering determines that the condition which caused the event to be generated has not

occurred in the preceding time period, determining the event to be resolved.

21. (original) A method as claimed in claim 20, further comprising marking the

event in the event list as resolved.

22. (currently amended) A computer readable medium including a computer

program for processing network management data received by a network management system

during the monitoring of a network; the program comprising a program step for receiving

network management data and for determining if the network management data indicates the

resolution of a previous event generated by the network management system in response to

previously received network management data and changing a severity indicator of said previous

event dependent on said determining step.

23. (currently amended) A network management system for processing network management data received during the monitoring of a network, the system comprising: a processor for receiving network management data and determining if the network management data indicates the resolution of a previous event generated by the network management system in

response to previously received network management data and changing a severity indicator of

said previous event dependent on said determining step.

24. (original) A network management system as claimed in claim 23, further

comprising memory for storing data relating to events generated by the system, wherein if the

processor determines that received network management data indicates the resolution of a

previous event stored in the memory, the processor updates the memory to mark the previous

event as resolved.

25. (original) A network management system as claimed in claim 24, further

comprising means for presenting an event list of generated events to a user.